



SMITHFIELD CITY

2022 Drinking Water Quality Report

Spanish(Espanol)

Este informe contiene informacion muy importante sobre la calidad de su agua potable. Por favor lea este informe o comuniquese con alguien que pueda traducir la informacion.

Is My Water Safe

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Useful Information On Your Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Smithfield's water supply comes from a combination of groundwater wells and springs. As water travels through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from human activity. These include:

- Viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock, and wildlife.
- Salts and metals, which can be natural or may **result from storm runoff**, wastewater discharges, and farming.
- Organic chemicals, which originate from industrial processes, petroleum production, gas stations, storm runoff, and septic systems.
- Radioactive substances, which can be naturally occurring.

To ensure safe tap water, this water is disinfected with chlorine. The EPA also prescribes limits on these substances in water provided by public water systems.

Smithfield Water Facts...

Water that supplies the Smithfield Water System comes from a variety of different sources. The primary supply is collected through eight springs located in Smithfield Canyon above the forest reserve. These

springs were developed as part of an expansion to the water system in the early 1920's which not only consisted of the development of the springs, but also the construction of a 10-inch transmission line through difficult terrain to the storage reservoir.

The development of the springs, (for the most) part, was accomplished by digging into bedrock and creating a collection basin that is protected from intruders by a steel door which is kept secure by a padlock. Water that is collected is then routed to the transmission line which carries it to the city for storage and eventual distribution.

To distinguish the various springs from one another they were given names. The names were either derived from individuals prominent at that time or they were given a name, which reflected a distinguishing characteristic of the spring. For instance, the G.L. Rees spring was named after the mayor who was instrumental in developing the project. The Dugway Spring got its name because of its location directly below the Dugway.

In addition to the eight upper canyon springs, the city also has other springs much closer to town. The water right names on these springs are, the Miles Spring, this spring plus the Peterson Spring, were part of

the original canyon water supply system.

In addition to the canyon springs, Smithfield also has three deep wells that are used to supplement water from the canyon. The primary well was drilled in 1968 and can deliver 1200 gallons per minute. Water from this well is added to the water distribution system in one of the lower pressure zones.

The second well, which was drilled in 1996, is currently capable of supplying 1400 gallons per minute. Water from this well is transmitted through an 18-inch chlorine contact water line. After the contact time has been met it enters the distribution system.

Both wells derive their water from confined aquifers. A confined aquifer is one in which the water is separated from the surface by a clay or other geological strata of sufficient thickness to prevent contaminants from entering the supply.

There is also a third well that will be put on-line this year. A goal in the Capital Improvement Plan is to build another holding tank to supplement the increased demand.

Protect Our Water Sources

Although our water sources are protected from contaminants, care needs to be exercised to insure potential contaminants are not permitted to penetrate the natural seals. The best way

to guard against such a devastating event is to identify potential contaminants and implement programs to control their use. Among the list of



potential contaminants are petroleum products, pesticides, herbicides

, fertilizers, lead, and other deleterious metals.

Proper use and disposal of these materials is essential to a healthy water system.

From time to time the city distributes information to residents concerning how best to manage these products. Individuals with concerns or questions should contact the City Engineer.


In doing our part, the city has implemented management practices to protect our water sources. Many of our water sources are routinely inspected for problems that might result from natural or man-made events. Our employees have been trained and licensed in the use of herbicides, insecticides, and fertilizers. Steps have been taken to encourage individuals with feedlots to control standing water and runoff from their property. The city also distributes "Fact Sheets" from the state Department of Environmental Quality in the city newsletter that gives instruction to individuals on how they can best protect our water supply.

As a city we are fortunate to have a safe and reliable water supply. We are not, however, without challenges. Even though our water sources experience a low susceptibility to contamination, they are vulnerable because of their location in public areas. As residents, landowners, and business owners we all have a responsibility to safeguard this important natural resource.

The Drinking Water Source Protection Plan for our community is available for your review. It contains specific information about the source protection zones, potential contamination sources, and the management strategies the city is pursuing. Please contact us at 563-6226, if you would like to review our source protection plan or if you have questions or concerns.

Water Sampling and Testing

To insure a safe, high quality water supply, Smithfield City, under the direction of the State Division of Drinking Water, samples the water on regular intervals and tests for a wide variety of organic and inorganic materials. On a monthly basis, Smithfield takes ten random water samples and tests them for harmful bacteria.



Our water is also tested for inorganic substances and

metals every three years. These are scheduled for testing in 2022. Asbestos is checked every nine years and was due in 2019. All samples taken were within the required limits. Every year the water is tested for Total Nitrates and Nitrites. This past year, samples were taken and found to be well within the maximum contaminate limits. Also, as required by the DDW, tests for lead and copper are performed at a multiple number of sites. In testing for these elements, 20 random samples are taken and analyzed to insure the tests correctly represent the water system. These tests found our water to be within the established required limits. Pesticide testing is done every three years and was performed in 2019 as well. These tests also found the water to be within the required limits. Volatile Organic Chemicals are tested for every six years, and the last results find them to be within the limits as well. Additional samples have been taken, and the system was determined to follow the Division of Drinking Water standards.

Culinary Water vs. Secondary Water

Smithfield is fortunate in the fact that they have access to both culinary and secondary water. In simplified terms, culinary water is water that is used for drinking, cooking, and many everyday uses. It is of high quality and is required to meet stringent standards that are established by the Environmental Protection Agency. On the other hand,

secondary water is often referred to as irrigation water. Unlike culinary water it does not go through the rigorous testing processes the culinary water must, and should never be used for drinking, cooking or otherwise consumed.

Secondary water in Smithfield is delivered to many residents in three separate distribution systems. The largest system is owned and operated by Smithfield Irrigation Company which obtains its water from a variety of sources including Summit Creek, and the Highline Canal System and a number of wells within the community. This system serves many of the agricultural areas, as well as approximately one-half of the residential areas within Smithfield.

Smithfield City also has a secondary system of its own. This system is supplied with water from the Highline Canal located on the east bench near 1000 East. Although this

supply can be unreliable at times during periods of drought, it does provide low-cost secondary water to many families in the city. There is a third system available to the residents on the north-east bench and it has its own irrigation company.

Despite its comparatively low cost, secondary water is still a valuable commodity that needs to be protected and used wisely. Every gallon of secondary water used is one gallon of high-quality culinary water saved.

not deemed to be fecal coliform.

Ground Water Rule Violation

The routine samples that are taken monthly by the Bear River Health Department for total coliform had a “detect” in July. Of the ten samples taken in the month of July there was reported one “detect” in the total coliform. Additional samples were taken as required by the Ground Water Rule, and found to be NOT a continuing problem, also noteworthy is that the violation was found to be from a non-culinary tap. NO bacteria or coliform positive results were found as a result of these additional tests. The Culinary Water System was determined to follow the Division of Drinking Water standards.

IF more information is requested, please contact:

Name: Clay Bodily

Address: 96 South Main Street
Smithfield, UT 84335

Phone: 435.563.6226

Fax: 435.563.6228

E-Mail:

cbodily@smithfieldcity.org

Website: smithfieldcity.org

TEST RESULTS							
Contaminant	Violation Y/N	Level Detected ND/Low-High	Unit Measurement	MCLG	MCL AL	Year Sampled	Likely Source of Contamination
Arsenic	N	0-1.1	ppb	0	1.0	2022	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
Barium	N	0.017--0.044	ppm	2	2	2022	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Fluoride	N	0-0. – 0.165	ppm	4	4	2022	Water additive which promotes strong teeth: erosion of natural deposits: discharge from fertilizer and aluminum factories.
Copper	N	0.036--0.213	ppm	1.3	1.3	2022	Corrosion of household plumbing systems; erosion of natural deposits
Lead	N	0.0— 3.3	ppb	0	15	2022	Corrosion of household plumbing systems, erosion of natural deposits
Nitrate	N	0.143--- 1.81	ppm	10	10	2022	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Sodium	N	1.404- 9.731	ppm	500	None set by EPA	2022	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills.
Sulfate	N	3.29-- 5.379	ppm	1000	1000	2022	Erosion of natural deposits; discharge from refineries and factories; runoff from landfills, runoff from crop land
Turbidity	N	0.06-0.3	NTU	0	0.3	2022	soil runoff
Chlorine	N	0.01-0.81	ppm	4	4	2019	Water additive used to control bacteria
TTHM [Total Trihalomethanes]	N	1.80— 2.50	ppb	0	80	2022	By-product of drinking water chlorination
Gross Alpha, Excl. Radium 228	N	0.00 – 0.48	pCi/L	0	5	2019	Erosion of natural deposits

ND/Low - High - For water systems that have multiple sources of water, the Utah Division of Drinking Water has given water systems the option of listing the test results of the constituents in one table, instead of multiple tables. To accomplish this, the lowest and highest values detected in the multiple sources are recorded in the same space in the report table. **Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (ug/l) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/l) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Nephelometric Turbidity Unit (NTU) - nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Variances and Exemptions -Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - (mandatory language) A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - (mandatory language) The “Maximum Allowed” (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - (mandatory language) The “Goal”(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Date- Because of required sampling time frames i.e. yearly, 3 years, 4 years and 6 years, sampling dates “May” seem out of date.

Some people may be more vulnerable to contaminates in drinking water than the general public. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advise about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminates are available from the Safe Drinking Water Hotline (1-800-426-4791)